



Sunlight Readable LCD!

Advanced
Brightness
Technology™

Key Features:

- Very High Brightness
- Wide Viewing Angle
- High Contrast Ratio
- LVDS
- Long Lamp Life
- Short Response Time
- Thin and Light



LD1745 (AU M170EN05)

Model No.	LD1745
LCD Display	17" TFT Active Matrix Panel
Brightness	1000 cd/m ²
Pixel Pitch(mm)	0.264(H) x 0.264(V)
Max. Resolution	1280x 1024 (SXGA)
Contrast Ratio	500:1
Display Area	337.92x 270.336mm
Response Time(Typ.)	16ms(Typ.)
Display Colors	262k
Viewing Angle	+80°~-80°(H), +75°~-75°(V)
Video	RGB Analog 0.7V Peak to Peak
Sync	LVDS
Signal Connector	15 Pin D-sub, 29 Pin DVI-D
F/ R Control Button	Power Switch, Menu, Select (+,-), Auto
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock, Management
S-video / AV connector	Standard
Power Consumption	65W
Dimensions (WxHxD)	436x373x61.5mm
Weight	4.86kg
Inverter	LI3601
Control Board	LM1513

> LD Display----- LH+Display Housing

*Specifications are subject to change without notice.
All brands or product names are trademarks or registered trademarks of their respective companies.*